

Bisimilarity and Behaviour-Preserving Reconfigurations of Open Petri Nets^{*}

Paolo Baldan¹, Andrea Corradini², Hartmut Ehrig³,
Reiko Heckel⁴, and Barbara König⁵

¹ Dipartimento di Matematica Pura e Applicata, Università di Padova, Italy

² Dipartimento di Informatica, Università di Pisa, Italy

³ Institut für Softwaretechnik und Theoretische Informatik,
Technische Universität Berlin, Germany

⁴ Department of Computer Science, University of Leicester, UK

⁵ Abteilung für Informatik und Angewandte Kognitionswissenschaft,
Universität Duisburg-Essen, Germany

Abstract. We propose a framework for the specification of behaviour-preserving reconfigurations of systems modelled as Petri nets. The framework is based on open nets, a mild generalisation of ordinary Place/Transition nets suited to model open systems which might interact with the surrounding environment and endowed with a colimit-based composition operation. We show that natural notions of (strong and weak) bisimilarity over open nets are congruences with respect to the composition operation. We also provide an up-to technique for facilitating bisimilarity proofs. The theory is used to identify suitable classes of reconfiguration rules (in the double-pushout approach to rewriting) whose application preserves the observational semantics of the net.

Introduction

Petri nets are a well-known model of concurrent and distributed systems, widely used both in theoretical and applicative areas [19]. In classical approaches, nets are intended to represent closed, completely specified systems evolving autonomously through the firing of transitions. Therefore, ordinary Petri nets do not support directly certain features that are needed to model *open* systems, namely systems which can interact with the surrounding environment or, in a different view, systems which are only partially specified.

Firstly, a large (possibly still open) system is typically built out of smaller open components. Syntactically, an open system is equipped with suitable interfaces, over which the interaction with the external environment can take place. Semantically, openness can be represented by defining the behaviour of a component as if it were embedded in general environments, determining any possible interaction over the interfaces.

^{*} Research partially supported by the EU IST-2004-16004 SENSORIA, the MIUR Project ART, the DFG project SANDS and CRUI/DAAD VIGONI “Models based on Graph Transformation Systems: Analysis and Verification”.

Secondly, often the building components of an open system are not statically determined, but they can change during the evolution of the system, according to predefined reconfiguration rules triggered by internal or external solicitations.

In this paper we present a framework where open systems can be modelled as Petri nets. Observational semantics based on (weak) bisimulation are shown to be congruences with respect to the composition operation defined over Petri nets. Building on this, suitable reconfigurations of such systems can be specified as net rewritings, which preserve the behaviour of the system.

The framework is based on so-called *open nets*, a mild generalisation of ordinary Petri nets introduced in [2, 3] to answer the first of the requirements above, i.e., the possibility of interacting with the environment and of composing a larger net out of smaller open components. An open net is an ordinary net with a distinguished set of places, designated as open, through which the net can interact with the surrounding environment. As a consequence of such interaction, tokens can be freely generated and removed in open places. In the mentioned papers open nets are endowed with a composition operation, characterised as a pushout in the corresponding category, suitable to model both interaction through open places and synchronisation of transitions.

In the first part of the paper, after having extended the existing theory for open nets to deal with *marked* nets, we introduce bisimulation-based observational equivalences for open nets. Following the intuition about reactive systems discussed in [12], such equivalences are based on the observation of the interactions between the given net and the surrounding environment. The framework treats uniformly *strong bisimilarity*, where every transition firing is observed, and *weak bisimilarity*, where a subset of unobservable transition labels is fixed and the firings of transitions carrying such labels are considered invisible. Bisimilarity is shown to be a congruence with respect to the composition operation over open nets. Interestingly enough, this holds also when the set of non-observable labels is not empty, i.e., for weak bisimilarity: some natural questions regarding the relation with weak bisimilarity in CCS are also addressed. In addition, we also define an up-to technique for facilitating bisimulation proofs.

Exploiting the results in the first part of the paper we introduce a framework for open net reconfigurations. The fact that open net components are combined by means of categorical colimits, suggests a setting for specifying net reconfigurations, based on double-pushout (DPO) rewriting [9]. Using the congruence result for bisimilarity we identify classes of transformation rules which ensure that reconfigurations of the system do not affect its observational behaviour.

A concluding section discusses some related work. A full version of the paper, with proofs and additional results, is available as [4].

1 Marked open nets

An *open net*, as introduced in [2, 3], is an ordinary P/T Petri net with a distinguished set of *open places*, which represent the interface through which the environment can interact with the net. An open place can be an *input place*,

meaning that the environment can put tokens into it, or an *output place*, from which the environment can remove tokens, or both. In this section we introduce the basic notions for open nets as presented in [3], generalising them to nets with initial marking; this will be needed in the treatment of bisimilarity in Section 3.

Given a set X we write $\mathbf{2}^X$ for the powerset of X and X^\oplus for the free commutative monoid over X . Moreover, given a function $h : X \rightarrow Y$ we denote by the same symbol $h : \mathbf{2}^X \rightarrow \mathbf{2}^Y$ its extension to sets, and by $h^\oplus : X^\oplus \rightarrow Y^\oplus$ its monoidal extension. Given a multiset $u \in X^\oplus$, with $u = \bigoplus_{x \in X} u_x \cdot x$, for $x \in X$ we will write $u(x)$ to denote the coefficient u_x . The symbol 0 denotes the empty multiset.

Definition 1 (multiset projection). *Given a function $f : X \rightarrow Y$ and a multiset $u \in Y^\oplus$ we denote by $(u \downarrow f)$ the projection of u along f , which is the multiset over X defined as $(u \downarrow f) = \bigoplus_{x \in X} u_{f(x)} \cdot x$.*

For instance, given $f : \{s_0, s_1\} \rightarrow \{s'_0, s'_1, s'_2\}$ such that $f(s_i) = s'_i$ for $i \in \{1, 2\}$, we have $(2s'_0 \oplus s'_1 \oplus s'_2 \downarrow f) = 2s_0 \oplus s_1$. In the following we will mainly work with injective functions, for which the projection operation satisfies some expected properties, such as $f^\oplus((u \downarrow f)) \leq u$ and $(f^\oplus((u \downarrow f)) \downarrow f) = (u \downarrow f)$.

We consider nets where transitions are labelled over a fixed set of labels Λ .

Definition 2 (P/T Petri net). *A P/T Petri net is a tuple $N = (S, T, \sigma, \tau, \lambda)$ where S is the set of places, T is the set of transitions, $\sigma, \tau : T \rightarrow S^\oplus$ are functions mapping each transition to its pre- and post-set and $\lambda : T \rightarrow \Lambda$ is a labelling function for transitions.*

In the sequel we will denote by $\bullet(\cdot)$ and $(\cdot)^\bullet$ the monoidal extensions of the functions σ and τ to functions from T^\oplus to S^\oplus . Moreover, given $s \in S$, the pre- and post-set of s are defined by $\bullet s = \{t \in T : s \in t^\bullet\}$ and $s^\bullet = \{t \in T : s \in \bullet t\}$.

Definition 3 (Petri net category). *Let N_0 and N_1 be Petri nets. A Petri net morphism $f : N_0 \rightarrow N_1$ is a pair of total functions $f = \langle f_T, f_S \rangle$ with $f_T : T_0 \rightarrow T_1$ and $f_S : S_0 \rightarrow S_1$, such that for all $t_0 \in T_0$, $\bullet f_T(t_0) = f_S^\oplus(\bullet t_0)$, $f_T(t_0)^\bullet = f_S^\oplus(t_0^\bullet)$ and $\lambda_1(f_T(t_0)) = \lambda_0(t_0)$. The category of P/T Petri nets and Petri net morphisms is denoted by **Net**.*

We next introduce the notion of open net. As anticipated above, differently from [2, 3], we work here with marked nets.

Definition 4 (open net). *An open net is a pair $Z = (N_Z, O_Z)$, where $N_Z = (S_Z, T_Z, \sigma_Z, \tau_Z, \lambda_Z)$ is a P/T Petri net and $O_Z = (O_Z^+, O_Z^-) \in \mathbf{2}^{S_Z} \times \mathbf{2}^{S_Z}$ are the sets of input and output open places of the net. A marked open net is a pair (Z, \hat{u}) where Z is an open net and $\hat{u} \in S_Z^\oplus$ is the initial marking.*

Hereafter, unless stated otherwise, all open nets will be implicitly assumed to be marked. An open net will be denoted simply by Z and the corresponding initial marking by \hat{u} . Subscripts carry over to the net components. The graphical representation for open nets is similar to that for standard nets. In addition, the

fact that a place is input or output open is represented by an ingoing or outgoing dangling arc, respectively. For instance, in net Z_1 of Fig. 1, place s is both input and output open, while s' is only output open.

The notion of enabledness for transitions is the usual one, but, besides the changes produced by the firing of the transitions of the net, we consider also the interaction with the environment which is modelled by events, denoted by $+_s$ and $-_s$, which produce or consume a token in an open place s .

Definition 5 (set of extended events). *Let Z be an open net. The set of extended events of Z , denoted by T_Z and ranged over by ϵ is defined as*

$$\bar{T}_Z = T_Z \cup \{+_s : s \in O_Z^+\} \cup \{-_s : s \in O_Z^-\}.$$

Defining $\bullet+_s = 0$ and $+_s\bullet = s$, and symmetrically, $\bullet-_s = s$ and $-_s\bullet = 0$, the notion of pre- and post-set extends to multisets of extended events.

Given a marking $u \in O_Z^{+\oplus}$, we denote by $+_u$ the multiset $\bigoplus_{s \in S} u(s) \cdot +_s$. Similarly, $-_u = \bigoplus_{s \in S} u(s) \cdot -_s$ for $u \in O_Z^{-\oplus}$.

Definition 6 (firings and steps). *Let Z be an open net. A step in Z consists of the execution of a multiset of (extended) events $A \in \bar{T}_Z^\oplus$, i.e., $u \oplus \bullet A [A] u \oplus A\bullet$. A step is called a firing when it consists of a single event, i.e., $A = \epsilon \in \bar{T}_Z$.*

A firing can be (i) the execution of a transition $u \oplus \bullet t [t] u \oplus t\bullet$, with $u \in S_Z^\oplus$, $t \in T_Z$; (ii) the creation of a token by the environment $u [+_s] u \oplus s$, with $s \in O_Z^+$, $u \in S_Z^\oplus$; (iii) the deletion of a token by the environment $u \oplus s [-_s] u$, with $u \in S_Z^\oplus$, $s \in O_Z^-$. A step is the firing of a multiset of transitions and interactions with the environment, of the kind $A \oplus -_w \oplus +_v$ for $A \in T_Z^\oplus$, $w \in O_Z^{-\oplus}$ and $v \in O_Z^{+\oplus}$.

Definition 7 (open net category). *An open net morphism $f : Z_1 \rightarrow Z_2$ is a Petri net morphism $f : N_{Z_1} \rightarrow N_{Z_2}$ such that, if we define $\text{in}(f) = \{s \in S_1 : \bullet f_S(s) - f_T(\bullet s) \neq \emptyset\}$ and $\text{out}(f) = \{s \in S_1 : f_S(s)\bullet - f_T(s\bullet) \neq \emptyset\}$, then*

1. (i) $f_S^{-1}(O_2^+) \cup \text{in}(f) \subseteq O_1^+$ and (ii) $f_S^{-1}(O_2^-) \cup \text{out}(f) \subseteq O_1^-$.
2. $\hat{u}_1 = (\hat{u}_2 \downarrow f_S)$ (reflection of initial marking).

*The morphism f is called an open net embedding if both f_T and f_S are injective. We will denote by **ONet** the category of open nets and open net morphisms.*

Intuitively, an embedding $f : Z_1 \rightarrow Z_2$ “inserts” net Z_1 into a larger net Z_2 , which might constrain the behaviour of Z_1 . Conditions 1.(i) and 1.(ii) first require that open places are reflected and hence that places which are “internal” in Z_1 cannot be promoted to open places in Z_2 . Furthermore, they ensure that the context in which Z_1 is inserted can interact with Z_1 only through the open places. In fact, if s is a place of Z_1 and its image $f_S(s)$ is in the post-set of a transition of Z_2 which is not in the image of Z_1 , from the perspective of Z_1 the environment can generate tokens in s ; in this case $s \in \text{in}(f)$, and thus Condition 1.(i) requires s to be an input place. Condition 1.(ii) is analogous

for output places. Finally, condition 2 requires that the marking of Z_1 is the projection of the marking of Z_2 : any place $s_1 \in S_1$ must carry the same number of tokens than its image $f(s_1) \in S_2$, i.e., $\hat{u}_1(s_1) = \hat{u}_2(f(s_1))$ for any $s_1 \in S_1$. All morphisms f_1, f_2, α_1 and α_2 in Fig. 1 are examples of open net embeddings (the mappings on places and transitions are those suggested by the shape and labelling of the nets).

It is worth observing that most of the constructions in the paper will be defined for open net embeddings, hence readers can limit their attention to embeddings if this helps the intuition. Still, on the formal side, working in a larger host category with more general morphisms is essential to obtain a characterisation of the composition operation in terms of pushouts. Specifically, non-injective open net morphisms are needed as mediating morphisms (recall, for example, that the category of sets with injective functions does not have all pushouts).

In the sequel, given an open net morphism $f = \langle f_S, f_T \rangle : Z_1 \rightarrow Z_2$, to lighten the notation we will omit the subscripts “ S ” and “ T ” in its place and transition components, writing $f(s)$ for $f_S(s)$ and $f(t)$ for $f_T(t)$. Moreover we will write $f^\oplus : \bar{T}_{Z_1}^\oplus \rightarrow \bar{T}_{Z_2}^\oplus$ to denote the monoidal function defined on the generators by $f^\oplus(t) = f(t)$ for $t \in T_{Z_1}$ and, for $x \in \{+, -\}$, $f^\oplus(x_s) = x_{f(s)}$, if $f(s) \in O_2^x$ and $f^\oplus(x_s)$ undefined, otherwise. Note that f^\oplus can be partial since open places can be mapped to closed places.

Unlike most of the morphisms considered over Petri nets in the literature, open net morphisms are *not* simulations. Instead, since open net embeddings are designed to capture the idea of inserting a net into a larger one, they are expected to reflect the behaviour, in the sense that given an embedding $f : Z_0 \rightarrow Z_1$, the behaviour of Z_1 can be projected along f to the behaviour of Z_0 .

To formalise reflection of the behaviour along open nets embeddings, we define the projection operation also over steps.

Definition 8 (projecting extended events). *Given an open net embedding $f : Z \rightarrow Z'$ and an extended event $\epsilon' \in \bar{T}_{Z'}$, we define the projection of ϵ' along f as follows:*

- if $\epsilon' = t' \in T_{Z'}$ is a transition then
$$(t' \Downarrow f) = \begin{cases} t & \text{if } t \in T_Z \text{ and } f(t) = t' \\ -(\bullet_{t' \downarrow f}) \oplus +(\bullet_{t' \downarrow f}) & \text{if } t' \notin f(T_Z) \end{cases}$$
- if $\epsilon' = x_{s'}$, with $x \in \{+, -\}$, then $(x_{s'} \Downarrow f) = x_{(s' \downarrow f)}$.

The projection operation over multisets of extended events $(-\Downarrow f) : \bar{T}_{Z'}^\oplus \rightarrow \bar{T}_Z^\oplus$, is defined as the monoidal extension of the projection of firings.

In words, if we think of the embedding as an inclusion, given a transition t' , the projection $(t' \Downarrow f)$ is the transition itself if t' is in Z . Otherwise, if t' is not in Z but it consumes or produces tokens in places of Z , the projection of t' contains the corresponding extended events, expressing the interactions over open places.

Lemma 1 (reflection of behaviour). *Let $f : Z \rightarrow Z'$ be an open net embedding. For every step $u' [A'] v'$ in Z' there is a step $(u' \downarrow f) [(A' \downarrow f)] (v' \downarrow f)$ in Z , called the projection of the step $u' [A'] v'$ over Z .*


2 Composing open nets

We introduce next a basic mechanism for composing open nets which is characterised as a pushout construction in the category of open nets. The case of unmarked nets was already discussed in [3]. Here we extend the theory to deal with marked open nets. Intuitively, two open nets Z_1 and Z_2 are composed by specifying a common subnet Z_0 , and then by joining the two nets along Z_0 .

Let us start with a technical definition which will be useful below.

Proposition 1 (composition of multisets). *Consider a pushout diagram in the category of sets as below, where all morphisms are injective.*

Given $u_1 \in S_1^\oplus$ and $u_2 \in S_2^\oplus$ such that $(u_1 \downarrow f_1) = (u_2 \downarrow f_2) = u_0$, there is a (unique) multiset $u_3 \in S_3^\oplus$ such that $(u_3 \downarrow \alpha_i) = u_i$, for $i \in \{1, 2\}$. Such a multiset u_3 will be denoted by $u_3 = u_1 \uplus_{u_0} u_2$.



As in [2, 3], two embeddings $f_1 : Z_0 \rightarrow Z_1$ and $f_2 : Z_0 \rightarrow Z_2$ are called *composable* if the places which are used as interface by f_1 , i.e., the places $\text{in}(f_1)$ and $\text{out}(f_1)$, are mapped by f_2 to input and output open places of Z_2 , respectively, and also the symmetric condition holds.

Definition 9 (composability). *Let $f_1 : Z_0 \rightarrow Z_1$, $f_2 : Z_0 \rightarrow Z_2$ be embeddings in **ONet**. We say that f_1 and f_2 are composable if 1. $f_2(\text{in}(f_1)) \subseteq O_{Z_2}^+$ and $f_2(\text{out}(f_1)) \subseteq O_{Z_2}^-$; and 2. $f_1(\text{in}(f_2)) \subseteq O_{Z_1}^+$ and $f_1(\text{out}(f_2)) \subseteq O_{Z_1}^-$.*

Composability is necessary and sufficient to ensure that the pushout of f_1 and f_2 can be computed in **Net** and then lifted to **ONet**.

Proposition 2 (pushouts in ONet). *Let $f_1 : Z_0 \rightarrow Z_1$, $f_2 : Z_0 \rightarrow Z_2$ be embeddings in **ONet** (see Fig. 2(a)). Compute the pushout of the corresponding diagram in category **Net** (componentwise on places and transitions) obtaining net N_{Z_3} and morphisms α_1 and α_2 , and then take as open places, for $x \in \{+, -\}$,*

$$O_{Z_3}^x = \{s_3 \in S_3 : \alpha_1^{-1}(s_3) \subseteq O_{Z_1}^x \wedge \alpha_2^{-1}(s_3) \subseteq O_{Z_2}^x\}$$

*and as marking $\hat{u}_3 = \hat{u}_1 \uplus_{\hat{u}_0} \hat{u}_2$, defined according to Proposition 1. Then $(\alpha_1, Z_3, \alpha_2)$ is the pushout in **ONet** of f_1 and f_2 if and only if f_1 and f_2 are composable. In this case we write $Z_3 = Z_1 +_{f_1, f_2} Z_2$.*

As an example, the open net embeddings f_1 and f_2 in Fig. 1 are composable and Z_3 is the resulting pushout object.

We next analyse the behaviour of an open net Z_3 arising as the composition of two nets Z_1 and Z_2 along an interface Z_0 . More specifically, we show that steps of the component nets Z_1 and Z_2 can be “composed” to give a step of Z_3 when they agree on the interface and satisfy suitable compatibility conditions.

Lemma 2 (composing steps). *Let $f_1 : Z_0 \rightarrow Z_1$ and $f_2 : Z_0 \rightarrow Z_2$ be composable embeddings in **ONet** and let $Z_3 = Z_1 +_{f_1, f_2} Z_2$ (see Fig. 2(a)). Let $u_1 [A_1] v_1$ and $u_2 [A_2] v_2$ be steps in Z_1 and Z_2 , respectively, such that $(u_1 \downarrow f_1) = (u_2 \downarrow f_2) = u_0$ and $A_2 = f_2^\oplus((A_1 \downarrow f_1))$.*

Then, $(v_1 \downarrow f_1) = v_0 = (v_2 \downarrow f_2)$ and, if we define $A_3 = \alpha_1^\oplus(A_1)$,




Fig. 1. An example of a pushout in ONet.

$$u_1 \uplus_{u_0} u_2 \ [A_3] \ v_1 \uplus_{v_0} v_2.$$

The above result can be used to get a compositionality result for steps, showing that the steps of Z_3 can be obtained by “composing” steps of the components Z_1 and Z_2 satisfying suitable compatibility requirements. However, this is outside the main focus of the paper and can be found in the full version [4].

3 Bisimilarity of open nets

We next study (strong and weak) bisimilarity for open nets, proving that it is a congruence with respect to the colimit-based composition of open nets.

First, we define the labelled transition system associated to an open net. Net transitions carry a label which is observed when they fire. Additionally, in the labelled transition system we also observe what happens at the open places. As discussed in the conclusions, this resembles the labelled transition system arising from the view of Petri nets as reactive systems in [14, 20]. More precisely, given an open net Z , the corresponding labelled transition system has the markings of the net as states. Transitions are generated by the firings of Z and labelled over the set $\Lambda_Z = \Lambda \cup \{+_s : s \in O_Z^+\} \cup \{-_s : s \in O_Z^-\}$.

For notational convenience we extend the labelling function λ_Z to the set of extended events \bar{T}_Z , by defining $\lambda_Z(x) = x$ for $x \in \bar{T}_Z - T_Z$ (i.e., for $x = +_s$ or $x = -_s$ with $s \in S_Z$).

Definition 10 (Its for an open net). *The labelled transition system associated to an open net Z , denoted by $\text{Its}(Z)$, is the pair $\langle S_Z^\oplus, \rightarrow_Z \rangle$, where states are markings $u_Z \in S_Z^\oplus$ and the transition relation $\rightarrow_Z \subseteq S_Z^\oplus \times \Lambda_Z \times S_Z^\oplus$ includes all transitions $u_Z \xrightarrow{\lambda_Z(x)}_Z u'_Z$ such that there is a firing $u_Z [x] u'_Z$ in Z .*

When observing the behaviour of a system it is common that only a subset of events is considered observable. Here this is formalised by selecting a subset of

labels representing internal firings, playing a role similar to τ -actions in process calculi, and then considering a corresponding notion of weak bisimilarity. Let $\Lambda_\tau \subseteq \Lambda$ be a subset of *unobservable* labels, fixed for the rest of the paper. Given a Λ -labelled open net Z , for markings $v, v' \in S_Z^\oplus$ we write $v \xrightarrow{\tau}_Z v'$ if $v \xrightarrow{\ell}_Z v'$ with $\ell \in \Lambda_\tau$, and $v \xrightarrow{\ell}_Z v'$ if $v \xrightarrow{\ell}_Z v'$ with $\ell \in \Lambda_Z - \Lambda_\tau$. Then we define

- $v \xRightarrow{\tau}_Z v'$ when $v \xrightarrow{\tau}^*_Z v'$.
- $v \xRightarrow{\ell}_Z v'$ when $v \xrightarrow{\tau}^*_Z \xrightarrow{\ell}_Z \xrightarrow{\tau}^*_Z v'$ $\ell \neq \tau$.

Weak bisimilarity is now defined in a standard way (but note that when the set of unobservable labels is empty, this actually corresponds to strong bisimilarity). Only, we need to specify for each open place of one net which is the corresponding open place in the other net. Given two open nets Z_1 and Z_2 a *correspondence* $\eta : O_1 \leftrightarrow O_2$ between Z_1 and Z_2 is a bijection $\eta : O_1^+ \cup O_1^- \rightarrow O_2^+ \cup O_2^-$ such that for $s_1 \in O_1$, $x \in \{+, -\}$ we have $s_1 \in O_1^x$ iff $\eta(s_1) \in O_2^x$.

Definition 11 ((weak) bisimilarity). Let Z_1, Z_2 be open nets and $\eta : O_1 \leftrightarrow O_2$ be a correspondence between Z_1 and Z_2 . A (weak) η -bisimulation over Z_1 and Z_2 is a relation over markings $\mathcal{R} \subseteq S_1^\oplus \times S_2^\oplus$ such that if $(u_1, u_2) \in \mathcal{R}$ then

- if $u_1 \xrightarrow{\ell}_{Z_1} u'_1$, there exists u'_2 such that $u_2 \xRightarrow{\eta(\ell)}_{Z_2} u'_2$ and $(u'_1, u'_2) \in \mathcal{R}$;
- the symmetric condition holds;

where $\eta(+s) = +_{\eta(s)}$, $\eta(-s) = -_{\eta(s)}$, and $\eta(\ell) = \ell$ for any $\ell \in \Lambda \cup \{\tau\}$.

Two open nets Z_1 and Z_2 are (weakly) η -bisimilar, denoted $Z_1 \approx_\eta Z_2$, if $\eta : O_1 \leftrightarrow O_2$ is a correspondence and there exists a (weak) η -bisimulation \mathcal{R} over Z_1 and Z_2 such that $(\hat{u}_1, \hat{u}_2) \in \mathcal{R}$. We will say that Z_1 and Z_2 are (weakly) bisimilar, written $Z_1 \approx Z_2$, if $Z_1 \approx_\eta Z_2$ for some correspondence η .

As already mentioned, open net morphisms are not simulations, since the target net can be more “instantiated” than the source net. However, according to the following lemma, which is a corollary of Lemma 2, given *composable* embeddings $f_1 : Z_0 \rightarrow Z_1$ and $f_2 : Z_0 \rightarrow Z_2$, the firing of a transition in Z_2 , projected along f_2 to Z_0 can then be simulated in Z_1 .

Lemma 3. Let Z_0, Z_1, Z_2 be open nets and let $f_i : Z_0 \rightarrow Z_i$ ($i \in \{1, 2\}$) be composable embeddings, as in Fig. 2(a). Furthermore, let $Z_3 = Z_1 +_{f_1, f_2} Z_2$.

Assume that $u_2 \xrightarrow{\ell}_{Z_2} u'_2$ where $\ell \in \Lambda$, let $t \in T_2$ such that $\lambda_2(t) = \ell$ and $u_2 \cdot [t] \cdot u'_2$, let $u_0 \cdot [A_0] \cdot u'_0$ be its projection over Z_0 (hence $A_0 = (t \downarrow f_2)$), and let $u_0 \xrightarrow{\ell_1}_{Z_0} \dots \xrightarrow{\ell_n}_{Z_0} u'_0$ be any sequence of transitions in $\text{lts}(Z_0)$ arising as a linearisation of such step in Z_0 . Then for any $u_1 \in S_1^\oplus$ such that $(u_1 \downarrow f_1) = u_0$ we have that $u_1 \xrightarrow{\ell_1}_{Z_1} \dots \xrightarrow{\ell_n}_{Z_1} u'_1$ and $u_1 \uplus_{u_0} u_2 \xrightarrow{\ell}_{Z_3} u'_1 \uplus_{u'_0} u'_2$.

Note that above, if transition t is in the image of Z_0 , then the sequences of transitions in $\text{lts}(Z_0)$ and $\text{lts}(Z_1)$ are actually single firings. Otherwise, they are sequences of interactions over open places, possibly of length greater than one.

By exploiting this lemma we can prove that bisimilarity is a congruence with respect to the composition operation on open nets.




Fig. 2. Pushouts in ONet.

Theorem 1 (bisimilarity is a congruence). *Let Z_0, Z_1, Z_2, W_2 be open nets. Let $Z_2 \approx_\eta W_2$, for some η . Consider the nets $Z_3 = Z_1 +_{f_1, f_2} Z_2$ and $W_3 = Z_1 +_{f_1, g_2} W_2$, as in Fig. 2 where f_1, f_2 and g_2 are embeddings, f_1 and f_2 are composable, and f_1 and g_2 are composable as well.*

If $g_2|_{O_0} = \eta \circ (f_2|_{O_0})$ (i.e., f_2 and g_2 are consistent with η on open places) then $Z_3 \approx_{\eta'} W_3$, where η' is defined as follows: for all $s \in O_{Z_3}$, $\eta'(s) = \beta_1(s')$ if $s = \alpha_1(s')$, and $\eta'(s) = \beta_2(\eta(s'))$ if $s = \alpha_2(s')$.

We next provide a kind of *up-to technique* for open net bisimilarity. Given an open net Z , let us define the *out-degree* of a place $s \in S$ as the maximum number of tokens that the firing of an extended event can remove from s , formally:

$$\deg(s) = \max(\{(\bullet t)(s) : t \in T_Z\} \cup \{1 : s \in O_Z^-\})$$


The idea, formalised in the notion of up-to bisimulation, is to allow tokens to be removed from open input places, when they exceed the out-degree of the place. More precisely, given a net Z and a marking $u \in S^\oplus$, let us say that a marking $v \in O_Z^{+\oplus}$ is *subtractable* from u if $\forall s \in O_Z^+, \deg(s) \leq u(s) - v(s)$. Note that this implies that all transitions enabled in u are also enabled in $u \ominus v$.

Definition 12 (up-to bisimulation). *Let Z_1 and Z_2 be open nets, and let $\eta : O_1 \leftrightarrow O_2$ be a correspondence between Z_1 and Z_2 . A relation $\mathcal{R} \subseteq S_1^\oplus \times S_2^\oplus$ between markings is called an up-to η -bisimulation if whenever $(u_1, u_2) \in \mathcal{R}$ then*

- if $u_1 \xrightarrow{\ell}_{Z_1} u'_1$, then there exist markings u'_2 such that $u_2 \xrightarrow{\eta(\ell)}_{Z_2} u'_2$, and $v_1 \in O_1^{+\oplus}$ subtractable from u_1 , with $(u'_1 \ominus v_1, u'_2 \ominus \eta^\oplus(v_1)) \in \mathcal{R}$;
- the symmetric condition holds.

Proposition 3. *Let Z_1 and Z_2 be open nets, and let $\eta : O_1 \leftrightarrow O_2$ be a correspondence between Z_1 and Z_2 . Let \mathcal{R} be an up-to η -bisimulation. Then for any $(u_1, u_2) \in \mathcal{R}$ we have that $(Z_1, u_1) \approx_\eta (Z_2, u_2)$.*

As it often happens with up-to techniques, the above result might allow to show that two nets are bisimilar by exhibiting finite relations (while bisimulations are typically infinite). E.g., consider the open nets on the right, where label a is observable. Then a bisimulation would include at least the pairs $\{(k \cdot s, k \cdot s) : k \in \mathbb{N}\}$, where s is the only place. Instead, according to the definition above $\{(0, 0), (s, s)\}$ is an up-to bisimulation.






Fig. 3. Two pushouts of open nets for the comparison to CCS.

Comparison to CCS. We now give some hints as to why weak bisimilarity is a congruence in the case of open nets, but not in CCS [16]. Remember that a classical counterexample for CCS is as follows: $p_1 = \tau.a.0 \approx a.0 = p_2$, but $q_1 = \tau.a.0 + b.0 \not\approx a.0 + b.0 = q_2$. The reason for the latter inequality is that q_1 can do a τ and become $a.0$, while q_2 cannot mimic this step.

Fig. 3 shows a similar situation of nondeterministic choice for open nets, where τ is the only unobservable label. However, note that here the two nets Z_1 (corresponding to $\tau.a.0$) and Z_1' (corresponding to $a.0$) are *not* weakly bisimilar. Whenever the τ -transition is fired in Z_1 , resulting in the marking m_1 , this can not be mimicked in Z_1' by staying idle, since then in Z_1' a transition with label $-s_1'$ is possible, while a transition labelled $-s_1$ is not possible for the net Z_1 with marking m_1 . Also note that the places s_1 respectively s_1' must be output open in order to allow composition with the net Z_2 .

Roughly, this means that for open nets we are always able to observe the first invisible action in an open component, which is reminiscent of the definition of observation congruence (denoted by \approx^c) in CCS: two processes p, q are called observation congruent if they are weakly bisimilar, with the additional constraint that whenever the first step of p is a τ -action, then it has to be answered by at least one τ -action of q (and vice versa). In both settings it is only the first τ -action that can be observed but not the subsequent ones.

4 Reconfigurations of open nets

The results in the previous sections are used here to design a framework where a system specified as a (possibly open) Petri net can be reconfigured dynamically by transformation rules, triggered by the state/shape of the system. The congruence result allows to characterise classes of reconfigurations which preserve the observational behaviour of the system.

The fact that the composition operation over open nets is defined in terms of a pushout construction suggests naturally a way of reconfiguring open nets by using the double-pushout approach to rewriting [9].

A *rewriting rule* over open nets consists of a pair of morphisms in **ONet**:

$$p = L_p \xleftarrow{l_p} K_p \xrightarrow{r_p} R_p$$

where L_p , K_p , R_p are open nets, called *left-hand side*, *interface* and *right-hand side* of the rule p , and l_p , r_p are open net embeddings. Furthermore, it is required that $(r_p \circ l_p^{-1})|_{O_{L_p}}$ is a correspondence between L_p and R_p , which we denote by $\eta_p : L_p \leftrightarrow R_p$. Intuitively, the rule specifies that, given a net Z , if the left-hand side L_p matches a subnet of Z then this can be reconfigured into Z' by replacing the occurrence of L_p with the right-hand side R_p , preserving the subnet K_p . Note that by requiring the existence of the correspondence η_p , we guarantee that the interface of the transformed net, consisting of the open places, is left untouched by the reconfiguration (a more general treatment can be found in [4]). A rewriting rule p is called *behaviour preserving* if its left- and right-hand sides are bisimilar: more precisely, if $L_p \approx_{\eta_p} R_p$.

Definition 13 (open net transformation). *Let p be a rewriting rule over open nets, let Z be an open net and let $m : L_p \rightarrow Z$ be a match, i.e., an open net embedding. We say that Z rewrites to Z' using p at match m , writing $Z \Rightarrow^{p,m} Z'$ or simply $Z \Rightarrow^p Z'$, if the diagram of Fig. 4(a) can be constructed in **ONet**, where both squares are pushouts, and morphism n is composable with both l_p and r_p .*

We stress that we are interested in transformations where the two pushout squares are built from composable arrows (technically, this ensures that the transformation can be performed in **Net** and then “lifted” to **ONet**).

The next result is now an easy consequence of Theorem 1.

Theorem 2 (behaviour-preserving reconfigurations). *Let p be a behaviour-preserving open net rule. Given an open net Z and a match $m : L_p \rightarrow Z$, if $Z \Rightarrow^{p,m} Z'$ then $Z \approx Z'$.*

For instance, consider the double-pushout diagram in Fig. 4(b). It can be easily seen that the left- and right-hand sides of the applied rule are strongly bisimilar. Hence we can conclude that also Z and Z' are strongly bisimilar.

4.1 Applying rules to open nets

As it is common in the categorical approaches to (graph) rewriting, the notion of open net transformation proposed in Definition 13 is rather “declarative” in style, because it requires the existence of two pushouts in category **ONet**, without stating how they can be constructed, and under which conditions. A more explicit description of the conditions under which a rule can be applied to an open net and of the way the resulting net can be constructed, is clearly necessary for practical purposes. Looking at Fig. 4(a), given a rule p and a match $m : L_p \rightarrow Z$, in order to build the open net transformation:

- The *pushout complement* of l_p and m must exist. The resulting arrows n and d must be such that l_p and n are composable. Additionally, there can be several pushout complements and in this case a canonical choice should be considered.




Fig. 4. Transforming open nets through DPO rewriting.

- The resulting arrow n must be composable with r_p ; then we know how to build Z' by Proposition 2.

Unfortunately, although a general theory of DPO rewriting has been developed recently in the framework of adhesive categories [11], we cannot exploit it here since the category of open nets falls outside the scope of the theory. Sufficient hypotheses under which the above conditions are satisfied are made explicit in the following lemma (more general conditions are considered in [4]).

Lemma 4 (existence of transformations in ONet). *Let p be an open net rewriting rule, let Z be an open net and let $m : L_p \rightarrow Z$ be a match such that:*

1. *for all $s \in L_p - l_p(K_p)$ we have $\bullet m(s) \cup m(s) \bullet \subseteq m(L_p - K_p)$;*
2. *for all $s \in K_p$, if $s \in \text{in}(r_p) - \text{in}(l_p)$ then $m(l_p(s)) \in O_Z^+$;*
3. *for all $s \in K_p$, if $s \in \text{in}(l_p)$ then $l_p(s) \in O_L^+$ implies $m(l_p(s)) \in O_Z^+$;*

and the dual of the last two conditions, obtained by replacing $\text{in}()$ by $\text{out}()$ and $+$ by $-$, hold. Then, there exists a transformation $Z \Rightarrow^{p,m} Z'$.

The intuition underlying the conditions above is the following. Condition 1 is a typical *dangling condition*: it asserts that a place can be deleted only if all the transitions connected to this place are removed as well, otherwise the flow arcs of this transition would remain dangling. Technically, this condition ensures that the pushout complement exists and is unique in the underlying category **Net**. By condition 2, if $s \in \text{in}(r_p) - \text{in}(l_p)$, i.e., the rule p creates a new (ingoing) transition connected to place s , without replacing any old one, then the image of s in Z must be (input) open. Finally, condition 3 says that if $s \in \text{in}(l_p)$, i.e.,

if some (ingoing) transitions are deleted from s then the image of s in Z must be (input) open if so is its image in L_p .

Technically, conditions 2 and 3 (and their dual) ensure the existence of a *minimal* pushout complement D , i.e., a pushout complement which embeds into any other, which is the one that we choose to define the transformation; the conditions also guarantee the composability of n with both l_p and r_p . The net underlying the minimal pushout complement is $D = Z - m(L_p - l_p(K_p))$ (with set difference componentwise on places and transitions), and the open places of D are given by $O_D^x = d^{-1}(O_Z^x)$ for $x \in \{+, -\}$. The initial marking \hat{u}_D is defined as $\hat{u}_D(s) = \hat{u}_Z(d(s))$ for any place $s \in S_D$.

As an example, consider again the DPO diagram in Fig. 4(b). It is not difficult to see that the rule and the match satisfy the conditions of Lemma 4. Hence we can complete the double-pushout construction transforming Z into Z' , as depicted in the same figure.

4.2 Modeling dynamic reconfigurations of services

Open nets allow us to specify a system as built out of smaller components. Then, its behaviour is captured by the firing behaviour of the open net. However, for highly dynamic systems, as mentioned in the introduction, it can be useful to have the possibility of specifying that, under suitable conditions, some structural changes or reconfigurations of the system can take place. For instance the invocation of a service could trigger a rule which provides an implementation of the required service.

The theory of open net reconfigurations can do the job. As an example, consider net N_0 in Fig. 6 which models the view of a traveller on the journey planning and ticket purchase services offered through a travel agency portal.

We distinguish *abstract transitions* representing services that should be provided elsewhere and *concrete transitions* representing local services and control flow actions. The invocation of an external service can be seen at different levels of abstraction. From the point of view of the client process it is just the firing of an abstract transition. At a lower level of abstraction, the execution of the service is captured by a rule such as the one at the top of Fig. 5. An application of this rule, replacing the abstract transition by a new open net, models the discovery and binding of the concrete services required. The left- and right-hand sides of the rule are weakly bisimilar if we observe only the interactions at the open (interface) places, i.e., if we take $\Lambda_\tau = \Lambda$. This can be seen as a proof of the fact that the bound service meets the requirements: both in the abstract transition and in its concrete counterpart any inquiry will produce a corresponding itinerary.

The rule in the bottom of Fig. 5 represents a case where a simple pattern is replaced by a richer one. On the left we say that, given an itinerary, we can either purchase the required tickets or cancel the processes. On the right the transaction is refined, adding a prior reservation phase, while keeping the option to cancel. As above, the rule has weakly bisimilar left- and right-hand sides,




Fig. 5. Rules

ensuring that the visible effect of the abstract and concrete transitions at the interfaces is the same.

A possible sequence of transformations is shown in Fig. 6. By the above considerations, we are sure that the transformations do not change the observable behaviour of the system, a fact that can be interpreted as a proof of conformance of the provided service with respect to the abstract specification.

5 Conclusion and Related Work

Open nets, introduced in [2, 3], are a reactive extension of standard Petri nets which allows to model systems interacting with an unspecified environment. Several other approaches to Petri net composition and reactivity have been proposed in the literature (see, e.g., [6, 17, 10], to mention a few) and a detailed comparison with the open net model can be found in [3].

In this paper, firstly we have generalised the theory of open nets, including the characterisation of net composition using pushouts, to the case of marked nets. Next we have introduced the notions of strong and weak bisimilarity over open nets. Weak bisimilarity (and, as a particular case, also strong bisimilarity) is shown to be a congruence with respect to the colimit-based composition operation over open nets. To the best of our knowledge, this is the first time that a compositionality result is given for weak bisimilarity over Petri nets. Weak bisimilarity for Petri nets with a composition operation is studied for instance in [17], but it is not congruence, though a context closure allows one to get a congruence which is then characterised by means of a universal context. Our result about strong bisimilarity can be seen as a generalisation of those in [15, 20],




Fig. 6. Transformation of open nets representing a travel agent's portal.

which essentially are developed for a special kind of open nets, arising by viewing them as bigraphical reactive systems or as reactive systems over a cospan category. In the resulting reactive Petri net model there is no distinction between open input and output places. Furthermore the composition operation used in these papers does not allow synchronisation of transitions. Similarities exist also with the problem studied in [7], where a reactive Petri net model which admits a compositional behavioural equivalence is exploited, in the framework of web-services, to provide a theoretical basis to service composition and discovery.

In the second part of the paper we have proposed a rewriting-based framework for Petri nets with reconfigurations. We have shown how our congruence results for the observational semantics can be used to identify classes of reconfigurations which do not alter the observational behaviour of the system. This is applied to a small case study of a workflow-like model of a travel agency.

The idea of using rewriting techniques for providing a reconfiguration mechanism for Petri nets has been already explored in the literature (see, e.g., reconfigurable nets of [1, 13] and high-level replacement systems applied to Petri nets in [18]). In future work, besides analysing the relationships between these approaches and ours, we will continue to study the notion of reconfigurable open nets and describe in more detail how reconfigurations can be triggered by the net itself, for example by reaching certain markings or by firing certain transitions, following an intuition similar to that of dynamic nets [8].

Finally we plan to study the exact relationship between our morphisms and (generalisations of) the morphisms by Winskel [21, 5], in order to see whether they can be considered as duals. This would allow to establish a precise correspondence between our pushout-based composition and the pullback-based composition in the mentioned papers.

References

1. E. Badouel, M. Llorens, and J. Oliver. Modeling concurrent systems: Reconfigurable nets. In H. R. Arabnia and Y. Mun, editors, *Proceedings of PDPTA'03*, volume 4, pages 1568–1574. CSREA Press, 2003.
2. P. Baldan, A. Corradini, H. Ehrig, and R. Heckel. Compositional modeling of reactive systems using open nets. In K.G. Larsen and M. Nielsen, editors, *Proceedings of CONCUR'01*, volume 2154 of *LNCS*, pages 502–518. Springer, 2001.
3. P. Baldan, A. Corradini, H. Ehrig, and R. Heckel. Compositional semantics for open Petri nets based on deterministic processes. *Mathematical Structures in Computer Science*, 15(1):1–35, 2004.
4. P. Baldan, A. Corradini, H. Ehrig, R. Heckel, and B. König. Bisimilarity and behaviour-preserving reconfigurations of open petri nets. Technical Report CS-2006-9, Computer Science Department, University Ca' Foscari of Venice, 2006.
5. A.M. Bednarczyk, M.A. and Borzyszkowski. General morphisms of Petri nets. In J. Wiedermann, P. van Emde Boas, and M Nielsen, editors, *Proceedings of ICALP'99*, volume 1644 of *LNCS*, pages 190–199. Springer, 1999.
6. E. Best, R. Devillers, and J. G. Hall. The Petri box calculus: a new causal algebra with multi-label communication. In G. Rozenberg, editor, *Advances in Petri Nets*, volume 609 of *LNCS*, pages 21–69. Springer, 1992.
7. F. Bonchi, A. Brogi, S. Corfini, and F. Gadducci. A behavioural congruence for web services. In *Proceedings of FSEN '07*, LNCS. Springer, 2007.
8. M.G. Buscemi and V. Sassone. High-level Petri nets as type theories in the join calculus. In *Proceedings of FoSSaCS'01*, volume 2030 of *LNCS*. Springer, 2001.
9. H. Ehrig. Tutorial introduction to the algebraic approach of graph-grammars. In H. Ehrig, M. Nagl, G. Rozenberg, and A. Rosenfeld, editors, *Proceedings of the 3rd International Workshop on Graph-Grammars and Their Application to Computer Science*, volume 291 of *LNCS*, pages 3–14. Springer, 1987.
10. E. Kindler. A compositional partial order semantics for Petri net components. In P. Azema and G. Balbo, editors, *Application and Theory of Petri Nets*, volume 1248 of *LNCS*, pages 235–252. Springer, 1997.
11. S. Lack and P. Sobociński. Adhesive and quasiadhesive categories. *RAIRO – Theoretical Informatics and Applications*, 39(3), 2005.
12. J. Leifer and R. Milner. Deriving bisimulation congruences for reactive systems. In C. Palamidessi, editor, *Proceedings of CONCUR'00*, volume 1877 of *LNCS*, pages 243–258. Springer, 2000.
13. M. Llorens and J. Oliver. Introducing structural dynamic changes in Petri nets: Marked-controlled reconfigurable nets. In F. Wang, editor, *Proceedings of ATVA'04*, volume 3299, pages 310–323. Springer, 2004.
14. R. Milner. Bigraphical reactive systems. In K. G. Larsen and M. Nielsen, editors, *Proceedings of CONCUR'01*, volume 2154 of *LNCS*, pages 16–35. Springer, 2001.
15. R. Milner. Bigraphs for Petri nets. In J. Desel, W. Reisig, and G. Rozenberg, editors, *Lectures on Concurrency and Petri Nets*, volume 3098 of *LNCS*, pages 686–701. Springer, 2003.
16. Robin Milner. *A Calculus of Communicating Systems*. Springer, 1980. LNCS 92.
17. M. Nielsen, L. Priese, and V. Sassone. Characterizing Behavioural Congruences for Petri Nets. In *Proceedings of CONCUR'95*, volume 962 of *LNCS*, pages 175–189. Springer, 1995.
18. J. Padberg, H. Ehrig, and L. Ribeiro. High level replacement systems applied to algebraic high level net transformation systems. *Mathematical Structures in Computer Science*, 5(2):217–256, 1995.

19. W. Reisig. *Petri Nets: An Introduction*. EATCS Monographs on Theoretical Computer Science. Springer, 1985.
20. V. Sassone and P. Sobocinski. A congruence for Petri nets. In *Proceedings of PNGT'04*, number 127(2) in Electronic Notes in Computer Science, pages 107–120. Elsevier Science, 2005.
21. Glynn Winskel. Event structures. In *Petri Nets: Applications and Relationships to Other Models of Concurrency*, pages 325–392. Springer, 1987. LNCS 255.