Dependency Management

Ingegneria Del Software

Università degli Studi di Padova

Dipartimento di Matematica

Corso di Laurea in Informatica, A.A. 2018 – 2019

rcardin@math.unipd.it

Dependency

The quality or state of being influenced or determined by or subject to another.

- Changes in a component may influence its dependencies
  - Internal changes: implementation
  - External changes: interface or extrinsic behaviour
- Dependency a measure of the probability of changes among dependent components
  - The stronger the dependency the higher the probability

Coupling

- A measure of the degree of depenendency
  - Tightly-coupled: higher probability of changes
  - Loosely-coupled: lower probability of changes

Dependency between components must be minimized, making components loosely coupled.

Gang of Four

- Free to change a component, without introducing bugs
  - Internal / external changes
  - Architecture are dynamic and evolve during time

Dependency in OOP

- Dependencies among types
  - Concrete and abstract classes, interfaces

Name	Description
Dependency	When objects of one class **work briefly with** objects of another class
Association	When objects of one class **work with** objects of another class for some prolonged amount of time
Aggregation	When one class **owns but shares a reference** to objects of another class
Composition	When one class **contains** objects of another class
Inheritance	When one class **is a** type of another class

- Lines of code and and time (scope)
  - Let's analyze one by one

Dependency (relation)

- Weakest form of dependency
  - Limited in time: execution of one method
  - Limited in shared code: interface only

```
class A {
    public A() { /* ... */ }
    public void methodA() { /* ... */}
}

class B {
    public void methodWithAParam(A param) {
        a.methodA();
    }
    public A methodThatReturnsA() {
        return new A()
    }
}
```

Shared code: signature

Dep. interval

Dep. interval

Association

- A class contains a reference to an object
  - Spans all over an object life time: permanent
    - Impacts also object construction
  - All behaviours of a class are virtually shared

```
class A {
    private B b;
    public A(B b) { this.b = b; }
    // Other methods of class A
}

class B {
    public void method1() { /* ... */ }
    public void method2() { /* ... */ }
    public void method3() { /* ... */ }
}
```

Dep. interval

Every method signature of B

Aggregation and composition

- One type owns the other
  - Addition of creation and deletion responsibility
    - Creation is not a simple affair...
  - Composition: avoid shareability of components

```
class A {
    private B b;
    public A() {
        // A must know how to build a B
        this.b = new B("param1","param2");
    }
    // Other methods of class A

    static class B {
        // Rest of the class
        public B(String param1, String param2) { /* ... */ }
    }
}
```

Dep. interval

Also the building process is shared

Inheritance

- Strongest type of dependency
  - Inheritance and reuse of the not private code
    - (Implementation inheritance, not subtyping)
  - Any change to the parent can disrupt its children

```
class A {
    public A() { /* ... */ }
    // Other methods of class A
}

class B extends A {
    public B() {
        super();
        // ...
    }
    // Other methods of class B
}
```

Shared code

Dep. interval

Dependency degree

- The more the shared code, the stronger the dependency
  - Also, the wider the scope, ...
- Can we formalize a measure of coupling, $\delta_{A \to B}$?

$$\delta_{A \to B} = \frac{\varphi_{S_{A|B}}}{\varphi_{S_{tot_B}}} \varepsilon_{A \to B} \in \{x \in \mathbb{R}^+ | 0 \leq x \leq 1\}$$

  - $\varphi_{S_{A|B}}$: SLOC shared between A and B
  - $\varphi_{S_{tot_B}}$: Total SLOC of class B
  - $\varepsilon_{A \to B}$: A factor [0, 1] the measures the scope

Dependency degree

- Coupling is proportional to the probability of mutual change between components

$$\delta_{A \to B} \propto P(B_{mod} | A_{mod})$$

- Measure of total coupling for a component

$$\delta^A{}_{tot} = \frac{1}{n} \sum_{C_j \in C_1, \ldots, C_n} \delta_{A \to C_j}$$

  - C_j is the *jth* class A depends on
  - The measure is the mean of all coupling measures

Information hiding

- Remember the `Rectangle` class?
  - What if height and width have their own types?
    - `Height`, `Width` and `Rectangle` types would always be used together
  - They are tightly-coupled
  - The $\delta^C{}_{tot}$ of a client C would be very high
    - It would use always all the three types
  - $\delta^{Rectangle}{}_{tot}$ would be high too
- The given solution probably obtains the minimization of $\delta^C{}_{tot}$

References

- Dependency. http://rcardin.github.io/programming/oop/software-engineering/2017/04/10/dependency-dot.html
- The Secret Life of Objects: Information Hiding http://rcardin.github.io/design/programming/oop/fp/2018/06/13/the-secret-life-of-objects.html

GITHUB REPOSITORY

https://github.com/rcardin/swe