

# Index

- 'Access, 7, 70, 151
- 'Callable, 76
- 'Caller, 83, 270
- 'Class, 307
- 'Count, 95, 142, 146, 171, 172, 177
- 'First, 69
- 'Identity, 83, 270
- 'Last, 3, 69
- 'Read, 344, 349
- 'Terminated, 76
- 'Write, 344, 349
  
- abnormal task state, 228
- abort, 270
  - completion point, 228
  - environment task, 346
  - immediacy, 277, 296
  - use of, 229
- abort statement, 225, 227
  - syntax, 228
- abort-deferred operation, 228, 229
  - exceptions, 227
- abstract subprograms, 310
- abstract types, 310
- accept statement, 87, 91, 148, 160
- access attribute, 7, 70
- access discriminants, 9, 68, 136, 318
- access parameters, 9, 89, 309
- access to a protected subprogram, 204
- access to subprograms, 344
- access types, 7, 70, 309
  - protected subprograms, 151
- access variables
  - protected types, 150
- activation, 72, 73
  - inheritance, 284
- active objects, 24
- active partitions, 341
- active priorities, 284
  
- active replication, 367
- Ada.Calendar, 34, 149, 345
- Ada.Exceptions, 17
- Ada.Finalization, 5
- Ada.Real\_Time, 35
- Ada.Task\_Identification, 83
- adjust, 5
- aliased objects, 8
  - tasks, 70
- allocation, 340
- allocator, 8, 74
- Annex
  - Distributed Systems, 339
  - Real-Time Systems, 137, 277
  - Systems Programming, 83, 253
- anonymous task types, 69
- arbitrary selection, 108
- array type, 4
- asynchronous communication, 60
- asynchronous message passing, 56
- asynchronous remote procedure call, 347, 354
- asynchronous select statement, 377
  - exceptions, 227
  - syntax, 232
- asynchronous systems, 375
- asynchronous task control, 293, 295
- asynchronous transfer of control, 225, 230
- at clause, 256
- ATC, 225, 230
  - exceptions, 234
  - interaction with delay statement, 241
  - interaction with entry calls, 243
  - interaction with requeue, 245
  - interaction with timed entry call, 241

- nested, 245
- user need, 230
- atomic data, 161
- atomic transaction, 47
- Attach\_Handler, 260
- attaching an interrupt handler, 260
- attribute, 3
  - Access, 7, 70, 151
  - Callable, 76
  - Caller, 83, 270
  - Class, 307
  - Count, 95, 142, 146, 171, 172, 177
  - First, 69
  - Identity, 83, 270
  - Last, 3, 69
  - Read, 344, 349
  - Terminated, 76
  - Write, 344, 349
- attribute definition clause, 256
- avoidance synchronisation, 167
- barrier, 136, 138, 167, 199, 214
  - evaluation, 140, 142
  - protected entry call, 140
  - shared variable, 140
- base priorities, 278
- binary semaphore, 201
- blackboard, 199, 209, 319, 324
- blocks, 2
- Bloom's criteria, 167
- Boolean, 3
- bounded buffer, 13, 43, 57, 138, 199, 208, 319, 320, 334
  - with exceptions, 18
- bounded errors, 19, 148, 229
- bounded fair, 45
- broadcast, 150, 199, 210, 236
- busy-waiting, 30, 45, 117, 127, 191, 259
- calendar, 149
- callable, 76
- categorisation pragmas, 342
- ceiling priority emulation, 280
- Character, 3
- child, 78
- child packages, 13, 304
- circular buffer, 13
- class hierarchy, 5
- class-wide programming, 307
- class-wide types, 307
- client task, 105
- client/server model, 57, 83, 87, 351
- clocks, 34
- cobegin, 26
- cold standby, 368
- communication paradigms, 199
- communication protocol
  - group, 146
- Communication\_Error, 346
- completed, 73, 80, 83, 119
- concurrent programming, 21
  - languages, 21
  - operating system versus language
    - defined concurrency, 33
- condition synchronisation, 43, 45, 48, 138, 259
  - monitors, 54
- condition variable, 54
- conditional critical regions, 135
- conditional entry call, 125, 127, 142, 144
- configuration, 340
- Constraint\_Error, 101, 226, 309
- controlled types, 5, 174, 229
  - assignment, 5
  - finalisation, 5
  - initialisation, 5
  - last wishes, 121
- coroutines, 26
- correctness, 45
- count attribute, 95, 142, 146, 171, 172, 177
- critical section, 43
- CSP, 58
- cumulative drift, 38
- Current\_Task, 83
- cyclic executive, 29

- data communication, 41, 48
  - message passing, 42
  - shared variables, 42
- data types in a distributed environment, 342
- data-oriented synchronisation, 135
- deadline overrun detection, 237
- deadlock, 41, 44, 47, 48, 149, 277
  - avoidance, 44
  - mutual exclusion, 128
  - prevention, 44
  - recovery, 44
- Dekker's algorithm, 49
- delay accuracy, 277
- delay alternative, 105, 110
  - guards, 112
- delay statement, 37, 148
  - ATC interaction, 241
- dependent, 79
- derived types, 3, 304
- device driving, 255
- dining philosophers, 47, 130
- direct remote subprogram calls, 346, 349
- discriminants, 4, 63
  - protected object, 136
- dispatching, 284
- dispatching policies, 284, 346
- distributed object model, 358
- distributed system, 81, 339, 377
  - dynamic binding, 347, 353, 358
  - fault tolerance, 366
  - object-oriented programming, 358
  - program elaboration, 346
  - program termination, 346
  - programming paradigms, 349
  - static binding, 347
- DP, 60
- Duration, 3, 35
- dynamic attachment of interrupt handler, 265
- dynamic binding, 347, 353, 358
- dynamic creation of protected objects, 204
- dynamic dispatching, 308
- dynamic priorities, 285
- dynamic task creation, 70
- dynamic tasks, 81
- earliest deadline first scheduling, 278, 285, 287
- efficiency, 376
- elaboration, 2
- elaboration of a protected object, 151
- else alternative, 114
- else clause, 105
- embedded systems, 22
- entry, 64, 87
  - calls within an accept, 98
  - declarations, 89
  - family, 89, 95, 96, 144, 169, 189
  - interrupt, 64, 100
  - overloading, 91
  - parameters, 87
  - private, 99
  - queues, 89, 278
  - queuing policy, 285
- entry call, 87, 159, 215, 229
  - ATC interactions, 243
  - waiting for more than one, 217
- entry call statement, 148
- enumeration representation clause, 256
- environment task, 82
  - aborting, 346
- environment task priority, 279
- erroneous behaviour, 19
- error recovery, 230, 236
- events, 199, 206
- exception, 225
  - with a rendezvous, 101
  - abort-deferred operations, 227
  - asynchronous select statement, 227
  - ATC, 234
  - Communication\_Error, 346
  - Constraint\_Error, 101, 226, 309
  - handler, 17
  - handling, 16, 225

- interrupt handlers, 227
  - predefined, 16
  - Program\_Error, 110, 123, 149, 151, 226, 227, 283, 346
  - protected objects, 226
  - raising, 17
  - rendezvous, 226
  - task elaboration, 225
  - task finalisation, 226
  - Tasking\_Error, 101, 226
  - when others, 17, 101
- extended rendezvous, 59, 60
- fail-stop, 366
- failure, 47
- fairness, 45
- family index, 91
- fault tolerance, 366
- FIFO queuing, 108
- FIFO with priorities dispatching policy, 284
- filter partitions, 353
- finalisation, 5, 72, 122, 174
- finalisation of a protected object, 151
- fixed priority scheduling, 278
- Float, 3
- functions, 5
- generic units, 15
- groups, 146
- guard, 116, 167
  - delay alternative, 112
  - evaluation, 110
  - with shared variables, 110, 116
- guarded alternatives, 109
- guarded command, 57
- hard real-time, 45
- identity attribute, 83
- immediacy of abort, 277, 296
- immediate ceiling priority protocol, 280
- imprecise computations, 231, 239
- indefinite postponement, 41, 44, 48, 50
- inheritance, 5
- instantiation, 15
- Integer, 3
- inter-process communication, 41
- interrupt
  - handling, 180
  - task entries, 261
- interrupt driven device driving, 259
- interrupt entry, 100
- interrupt handler
  - exceptions, 227
- interrupt handling, 255, 374
  - attaching handler, 260
  - dynamic attaching, 260
  - dynamic attachment of handler, 265
  - model, 259
  - protected procedure, 260
- interrupt identification, 260
- interrupt priority pragma, 279
- last wishes, 121
- library units, 9, 81
- limited private types, 10
- limited types, 136
- livelock, 50, 277
- liveness, 45, 129, 131
- local drift, 38
- lockout, 45
- master, 79, 119
- Mesa, 53
- message-based communication, 56
- mode changes, 231, 238, 285
- model of distribution, 340
- Modula, 53, 55
- monitors, 53, 135
- multi-processor systems, 284
- multicast, 210, 319, 329
- multiple update problem, 42
- mutual exclusion, 43, 45, 48, 135, 136, 164, 201, 259
  - busy-waiting, 49
  - deadlock, 44, 128
  - Dekker's algorithm, 49

- monitors, 53
- priority ceilings, 280
- semaphores, 51
- shared variables, 49
  
- nested accepts, 98
- nested ATCs, 245
- nested rendezvous, 98
- non-determinism, 277
- normal library package, 345
  
- object-oriented programming, 4, 24, 303, 377
  - 'Class, 307
  - abstract subprograms, 310
  - abstract types, 310
  - access parameters, 309
  - access types, 309
  - blackboard, 324
  - bounded buffer, 320
  - class-wide programming, 307
  - class-wide types, 307
  - distributed, 358
  - dynamic dispatching, 308
  - multicast, 329
  - primitive operation on a tagged type, 304
  - protected types, 312
  - synchronisation, 312
  - tagged types, 304
  - tasking, 377
  - tasks, 332
  - type extensions, 304
- occam, 58
- operating systems, 30
- operating systems versus language
  - concurrency, 33
- optimisation rules, 277
- others handler, 17
- overloading, 10
- overloading entry names, 91
  
- package Calendar, 34, 149
- package System, 253, 278
  - package System.Storage\_Elements, 253
- packages, 9
- parallel execution, 22
- parallel sorting, 333
- parallelism, 374
- parameter modes, 5, 9
- parent, 78
- partition, 340
  - active, 341
  - dynamic creation, 346, 353
  - dynamic destruction, 346
  - passive, 341
- partition communication subsystem, 347
- partitioning, 340
- Pascal Plus, 53
- passive objects, 24
- passive partitions, 341, 361
- passive replication, 368
- path expressions, 156
- PCS, 347
- performance, 45
- periodic activities, 38
- periodic scheduling, 273
- periodic task, 111
- persistent signal, 199, 203, 238, 239
- polling, 118, 127, 259
- polymorphism, 4
- potentially blocking operations, 148
- pragma
  - Asynchronous, 347
  - Atomic, 162
  - Atomic\_Components, 162
  - Attach\_Handler, 260
  - Interrupt\_Priority, 279
  - Locking\_Policy, 282
  - Pragma\_Queueing\_Policy, 285
  - Preelaborate, 343
  - Priority, 279
  - Pure, 343
  - Remote\_Call\_Interface, 344
  - Remote\_Types, 343
  - Shared\_Passive, 344

- Task\_Dispatching\_Policy, 284
- Volatile, 161
- Volatile\_Components, 162
- preelaborate, 343
- prime by sieve, 93, 120
- primitive operation, 5
  - tagged type, 304, 359
- priority, 168, 187
  - environment tasks, 279
  - protected objects, 280
- priority ceiling locking, 280
- priority inheritance, 280
- priority inversion, 280
- priority pragma, 279
- private entry, 99, 144
- private types, 10
- procedures, 5
- process, 21
  - execution, 22
  - interleaving, 42
  - naming, 57
  - queuing, 45
  - representation, 25
  - synchronisation, 43
- producer-consumer, 43
- program elaboration, 346
- program termination, 346
- Program\_Error, 110, 123, 149, 151, 226, 227, 283, 346
- protected action, 229
- protected entry, 135, 138, 160
  - barriers, 140
  - families, 145
- protected function, 137
- protected object, 135, 167, 199, 278
  - access variables, 150
  - barrier, 136
  - device driving, 255
  - discriminant, 136
  - dynamic creation, 204
  - elaboration, 151
  - entry family, 144
  - exceptions, 226
  - finalisation, 151
  - OOP, 312
  - priorities, 280
  - private entry, 144
  - Program\_Error, 151
  - readers/writers problem, 153
  - restrictions, 148
  - semantics, 140
  - syntax, 135
  - versus server task, 137
- protected procedure, 137, 160
  - interrupt handling, 260
- protected resource, 25, 60
- protected subprogram, 135
  - access types, 151
- protected subprogram access values, 204
- protected type, 25
- protected variables, 49
- pulse, 199, 205
- pure package, 149, 343
- queuing policies, 346
- reactive objects, 24
- readers/writers problem, 153, 246
- real-time control, 374
- real-time systems, 22, 46
- Real-Time Systems Annex, 137, 277
- record representation clause, 256
- record type, 4
- reliability, 45
- remote access-to-class-wide type, 347, 349, 358
- remote access-to-subprogram type, 346, 349
- remote invocation, 59
- remote procedure call, 59, 347
- remote subprogram call, 341, 346
- remote types, 343
- Remote\_Call\_Interface package, 344
- rendezvous, 42, 58, 87, 167
  - Ada, 60
  - communication and synchronisation, 89
  - device driving, 255

- exceptions, 101, 226
- extended, 60
- rendezvous and inheritance, 284
- representation clauses, 256
- requeue, 58, 100, 167
  - between tasks and protected objects, 181
  - interaction with ATC, 245
  - semantics, 178
  - syntax, 179
  - with abort, 179
- resource, 24, 48
- resource allocation, 168
- resource control, 185
  - monitors, 53, 55
  - secure, 271
- restricted tasking, 277, 297
- reusable communication paradigms, 199, 319
- run-time polymorphism, 308
  
- scalar types, 3
- schedulability analysis, 278
- scheduling, 46, 231, 278, 346
- scope rules, 2
- select statement, 148, 278, 373, 377
  - rendezvous, 105
  - summary, 124
  - syntax, 105
- selective entry call, 215, 377
  - reasons for rejection, 222
- semaphore, 51, 199, 200
- separate compilation, 12
- server task, 105
  - versus protected objects, 137
- servers, 25
- shared data, 152
- shared variables, 49, 157, 375
  - in a barrier, 140
  - in guard, 110, 116
  - parameter evaluation, 128
- Shared.Passive packages, 344
- Sieve of Eratosthenes, 71, 93, 120, 353
  
- signal, 54
- Simpson's algorithm, 164
- SR, 58
- starvation, 45
- static binding, 347
- static pointers, 8
- storage unit, 257
- subprograms, 5
- subtypes, 3
- subunits, 12
- suspension, 89
- suspension objects, 293
- synchronisation agents, 156
- synchronisation control, 277
- synchronisation points, 157
- synchronisation without communication, 95
- synchronised OOP, 312
- synchronous message passing, 56
- synchronous task control, 293
- System, 253, 278
- System.RPC, 347
- System.Storage\_Elements, 253
- systems programming, 253
- Systems Programming Annex, 83
  
- tagged limited private types, 10
- tagged private types, 10
- tagged records, 4
- tagged types, 304
- tagged types and tasks, 332
- task
  - abortion, 174, 375
  - access types, 70
  - activation, 73, 148, 158
  - aliased, 70
  - anonymous, 69
  - arrays and discriminants, 66
  - arrays of, 66
  - attributes, 253, 272, 287
  - child, 78
  - client, 105
  - completed, 80, 83
  - creation, 64, 83, 148

- creation within finalisation, 83
  - declaration, 26, 63
  - dependent, 79
  - discriminants, 63, 95, 376
  - dynamic, 81
  - dynamic creation, 70
  - efficiency, 376
  - elaboration and exceptions, 225
  - entry, 64, 87
  - environment, 82
    - priority, 279
  - execution, 72
  - finalisation, 72, 83
  - finalisation and exceptions, 226
  - hierarchies, 78
  - identification, 82, 253
  - identifiers, 269, 287
  - initialisation, 374, 376
  - interrupt entries, 261
  - last wishes, 121
  - master, 79
  - parent, 76, 78
  - periodic, 111
  - priorities, 277
  - record containing a, 66
  - rendezvous, 87
  - restricted tasking, 297
  - server, 105
  - server versus protected objects, 137
  - states, 73, 77, 84, 102, 133, 165, 250
  - suspension, 89
  - tagged types, 332
  - termination, 72, 79, 105, 118, 159, 229, 375
  - termination and library units, 81
  - termination rules, 119
  - types, 63
- task entry
- families, 145
- task identifiers, 346
- Task\_Id, 83
- Tasking\_Error, 101, 226
- terminate alternative, 105, 118
- terminated, 73, 76
- termination, 72, 79, 81
- threads, 30
- three-way synchronisation, 98
- time, 34
- Time type, 35
- time-out, 105
- Time\_Span, 35
- Time\_Unit, 36
- timed entry call, 125, 142, 144
  - ATC interaction, 241
- timers, 266
- transient signal, 199, 205
- triggering alternative, 232
- triggering event, 232
  - cancellation, 232
- type extension, 4, 304
- type security, 19
- unchecked conversion, 265
- use clause, 11, 91
- user implemented timers, 266
- user interrupts, 231
- virtual nodes, 339
- volatile data, 161
- waiting for more than one entry call, 217
- warm standby, 368
- watchdog, 111
- when others, 101
- Wide\_Character, 3
- with abort, 179
- with clauses, 11